


## AR



Applicazione con punzone (a richiesta)  
Application by tool (at request)




| MOD.  | MAT. | COL. | A    | B   | C   | E      |
|-------|------|------|------|-----|-----|--------|
| AR/14 | N    | Std. | Ø 14 | 2.1 | 4.5 | Ø 7    |
| AR/20 | N    | Std. | Ø 20 | 3.2 | 6   | Ø 10.5 |
| AR/27 | N    | Std. | Ø 27 | 4.3 | 7   | Ø 14   |

## BR/6 - BR/10 - BR/12




Applicazione con punzone (a richiesta)  
Application by tool (at request)




| MOD.  | MAT. | COL. | A      | C   | D   | E    |
|-------|------|------|--------|-----|-----|------|
| BR/6  | PBT  | Std. | Ø 11.5 | 6   | 1.5 | Ø 6  |
| BR/10 | PBT  | Std. | Ø 18.2 | 8.2 | 2   | Ø 10 |
| BR/12 | PBT  | Std. | Ø 24   | 8   | 2   | Ø 12 |

## BR




Applicazione con punzone (a richiesta)  
Application by tool (at request)




| MOD. | MAT. | COL. | A    | B    | C | D | E   | F    |
|------|------|------|------|------|---|---|-----|------|
| BR   | A    | Std. | 21.5 | 28.5 | 8 | 2 | 9.5 | 16.5 |

## OCCHIELLI EYELETS

## OKV



Applicazione con punzone (a richiesta)  
Application by tool (at request)




| MOD.     | MAT. | COL. | A      | C   | D   | E      |
|----------|------|------|--------|-----|-----|--------|
| OKV/4.5  | PBT  | Std. | Ø 10.5 | 8.2 | 1.6 | Ø 4.5  |
| OKV/6    | PBT  | Std. | Ø 11.5 | 6.5 | 1.7 | Ø 5.8  |
| OKV/6/8  | PBT  | Std. | Ø 11.5 | 8.3 | 1.7 | Ø 5.8  |
| OKV/10   | PBT  | Std. | Ø 18.2 | 8.2 | 2   | Ø 10   |
| OKV/12   | PBT  | Std. | Ø 24   | 8   | 2   | Ø 12   |
| OKV/14.5 | PBT  | Std. | Ø 33.4 | 9.5 | 2.3 | Ø 14.6 |
| OKV/19   | PBT  | Std. | Ø 38   | 9.8 | 2.5 | Ø 19   |
| OKV/39   | PBT  | Std. | Ø 64.7 | 12  | 2.5 | Ø 38.6 |

## OKV/15




Applicazione con punzone (a richiesta) • Application by tool (at request)




## EL



Applicazione con punzone (a richiesta) • Application by tool (at request)




## PIN




## CHIUDI TASCA POCKET LOCK


## PLK/20



## PLK/30




● **PSN**



| MOD.          | MAT. | COL. | A    | B   | C    | D    | E   |
|---------------|------|------|------|-----|------|------|-----|
| <b>PSN</b> 20 | E    | Std. | 25   | 6.7 | 10.8 | 21.2 | 1.9 |
| <b>PSN</b> 25 | E    | Std. | 29.8 | 7.3 | 10.8 | 26   | 1.9 |
| <b>PSN</b> 30 | E    | Std. | 35.5 | 8.8 | 12   | 30.7 | 1.9 |
| <b>PSN</b> 40 | E    | Std. | 45.5 | 9.1 | 12   | 40.8 | 1.9 |

PASSANTI APERTI  
QUICK SLIP KEEPER


● **SK**



| MOD.         | MAT. | COL. | A    | B    | C  | D    |
|--------------|------|------|------|------|----|------|
| <b>SK</b> 25 | N    | B    | 12.5 | 29.4 | 11 | 25.4 |
| <b>SK</b> 40 | N    | B    | 14.4 | 44.5 | 11 | 40.5 |

PASSANTI CUCIBILI  
SEWING LOOPS


● **PSL**



| MOD.          | MAT. | COL. | A    | B    | C   | D    | E |
|---------------|------|------|------|------|-----|------|---|
| <b>PSL</b> 25 | N    | Std. | 33.1 | 23.6 | 3.8 | 25.5 | 6 |
| <b>PSL</b> 40 | N    | Std. | 48   | 33.5 | 4   | 40.2 | 6 |
| <b>PSL</b> 50 | N    | Std. | 60.4 | 36.1 | 4.8 | 51   | 6 |



PUNTALI  
BELT ENDS

● **PCF**




| MOD.          | MAT. | COL. | A  | B  | C   | D    | E   |
|---------------|------|------|----|----|-----|------|-----|
| <b>PCF/35</b> | N    | Std. | 39 | 20 | 6.5 | 36.5 | 1.5 |

## PC




| MOD.  | MAT. | COL. | A    | B  | C | D    | E   |
|-------|------|------|------|----|---|------|-----|
| PC 20 | N    | Std. | 22.5 | 20 | 6 | 20.5 | 1.5 |
| PC 25 | N    | Std. | 27.5 | 20 | 6 | 25.5 | 1.5 |
| PC 30 | N    | Std. | 32.7 | 20 | 6 | 30.4 | 1.5 |
| PC 40 | N    | Std. | 42.7 | 20 | 6 | 40.4 | 1.5 |

## QL




| MOD.  | MAT. | COL. | A    | B    | C   | D    | F    |
|-------|------|------|------|------|-----|------|------|
| QL 25 | N    | Std. | 29   | 19.5 | 7.1 | 25.5 | 1.8  |
| QL 40 | N    | Std. | 44.5 | 22   | 7.6 | 40.3 | 2.15 |

## PNT




| MOD.   | MAT. | COL. | A  | B    | C   | D    | E   | F |
|--------|------|------|----|------|-----|------|-----|---|
| PNT 30 | PP   | Std. | 32 | 19   | 4.3 | 30.5 | 2.5 |   |
| PNT 40 | PP   | Std. | 42 | 21.3 | 4.3 | 40.5 | 2.5 |   |

## PT




| MOD.  | MAT. | COL. | A    | B  | C  | D   |
|-------|------|------|------|----|----|-----|
| PT 40 | GTR  | B    | 40.5 | 29 | 9  | 8.5 |
| PT 55 | GTR  | B    | 58.5 | 38 | 12 | 10  |

**TSB/25**



| MOD.          | MAT. | COL. | A    | B    | C   | D    |  |  |
|---------------|------|------|------|------|-----|------|--|--|
| <b>TSB/25</b> | N    | Std. | 38.6 | 35.8 | 3.6 | 27.5 |  |  |


**PPS/25**



| MOD.          | MAT. | COL. | A  | B    | C | D   |  |  |
|---------------|------|------|----|------|---|-----|--|--|
| <b>PPS/25</b> | PP   | Std. | 25 | 28.8 | 3 | 9.4 |  |  |


**ACCESSORI SCARPE**  
**SHOES ACCESSORIES**

**SG 2/3**




| MOD.          | MAT. | COL. | A  | B  | C | E   |  |  |
|---------------|------|------|----|----|---|-----|--|--|
| <b>SG 2/3</b> | N    | Std. | 25 | 12 | 7 | Ø 3 |  |  |

**GC20/30**




| MOD.           | MAT. | COL. | A    | B  | C  | E   |  |  |
|----------------|------|------|------|----|----|-----|--|--|
| <b>GC20/30</b> | NIR  | Std. | 20.2 | 32 | 10 | Ø 4 |  |  |

**TUB**




| MOD.       | MAT.  | COL. | A  | B  | C | E     |  |  |
|------------|-------|------|----|----|---|-------|--|--|
| <b>TUB</b> | E-NIR | Std. | 20 | 20 | 8 | Ø 4.5 |  |  |

## TUB-SA/15




| MOD.      | MAT. | COL. | A  | B  | C   | E     |  |  |
|-----------|------|------|----|----|-----|-------|--|--|
| TUB-SA/15 | NIR  | Std. | 20 | 15 | 8.2 | Ø 4.5 |  |  |

## PLT10/5




| MOD.    | MAT. | COL. | A  | B  | C   | D  | E   | F |
|---------|------|------|----|----|-----|----|-----|---|
| PLT10/5 | NIR  | Std. | 17 | 18 | 3.9 | 12 | Ø 5 | 2 |

## PSC-N/100




| MOD.      | MAT. | COL. | A  | B    | C | E     |  |  |
|-----------|------|------|----|------|---|-------|--|--|
| PSC-N/100 | N    | Std. | 30 | 26.5 | 3 | Ø 5.2 |  |  |

## SL/10




| MOD.  | MAT. | COL. | A    | B  | C | D  |  |  |
|-------|------|------|------|----|---|----|--|--|
| SL/10 | A    | Std. | 15.5 | 30 | 6 | 11 |  |  |

## CB/10



| MOD.  | MAT. | COL. | A    | B    | C   | D    |  |  |
|-------|------|------|------|------|-----|------|--|--|
| CB/10 | A    | Std. | 15.5 | 25.2 | 7.5 | 10.5 |  |  |


## SLIDE



| MOD.             | MAT.  | COL. | A  | B  | C   | D   | E | F |
|------------------|-------|------|----|----|-----|-----|---|---|
| <b>SLIDE 60</b>  | A + N | Std. | 29 | 16 | 7.5 | 63  |   |   |
| <b>SLIDE 80</b>  | A + N | Std. | 29 | 16 | 7.5 | 81  |   |   |
| <b>SLIDE 100</b> | A + N | Std. | 29 | 16 | 7.5 | 105 |   |   |


## SPALLACCI SHOLDER PADS

### SP/16



| MOD.         | MAT. | COL. | A  | B   | C   | D  | E | F   |
|--------------|------|------|----|-----|-----|----|---|-----|
| <b>SP/16</b> | E    | Std. | 27 | 113 | 5.8 | 18 |   | 1.8 |


### SP/20



| MOD.         | MAT. | COL. | A  | B   | C   | D    | E | F   |
|--------------|------|------|----|-----|-----|------|---|-----|
| <b>SP/20</b> | E    | Std. | 32 | 128 | 6.5 | 21.8 |   | 1.8 |




**SP/25**



| MOD.         | MAT. | COL. | A    | B   | C | D    | F |
|--------------|------|------|------|-----|---|------|---|
| <b>SP/25</b> | E    | Std. | 36.6 | 145 | 7 | 26.8 | 2 |



**SPN**




| MOD.          | MAT. | COL. | A    | B   | C | D    |
|---------------|------|------|------|-----|---|------|
| <b>SPN/30</b> | E    | Std. | 44.5 | 142 | 7 | 31.5 |
| <b>SPN/40</b> | E    | Std. | 55   | 140 | 7 | 41   |







**SP/50**



**PF/30**



**CM**




| MOD.  | MAT. | COL. | A   | B   | C   | D    | E     |  |
|-------|------|------|-----|-----|-----|------|-------|--|
| CM/30 | E    | Std. | 117 | 127 | 1.9 | 30.4 | Ø 2.6 |  |
| CM/40 | E    | Std. | 138 | 127 | 2.9 | 41   | Ø 3   |  |



Applicabili bottoni automatici Press/14 - Kappa/14  
Attachable with snap fasteners Press/14 - Kappa/14


**PIEDINI**  
**BASE STUDS**

**PRC**



| MOD. | MAT. | COL. | A    | B    | C   | D   |  |
|------|------|------|------|------|-----|-----|--|
| PRC  | E    | B    | 39.2 | 49.5 | 1.9 | 5.9 |  |

**PRD/21**



| MOD.   | MAT. | COL. | A    | B    | C   | D   |  |
|--------|------|------|------|------|-----|-----|--|
| PRD/21 | E    | B    | 37.5 | 77.5 | 2.5 | 5.5 |  |

## ● **PP/20**




**CP1**  
10 mm




**CP2**  
12 mm

Applicazione con punzone a richiesta  
Application by tool at request



## ● **PPF**




## **PORTA CARTELLINI ID'TAG HOLDERS**

### ● **TAG**




### ● **CARD PER TAG**



## LAC

| MOD.  | MAT. | COL. | mm  |  |  |  |  |  |  |
|-------|------|------|-----|--|--|--|--|--|--|
| LAC/1 | PP   | Std. | 180 |  |  |  |  |  |  |
| LAC/2 | PP   | Std. | 140 |  |  |  |  |  |  |




## CPA





## CARD PER CPA

|         |  |
|---------|--|
| NOME    |  |
| NAME    |  |
| VIA     |  |
| ADDRESS |  |
| CITTA'  |  |
| CITY    |  |


## ID/40



## ID/CARD





## PORTANOME 90X65







## IDENTICLIP



| MOD.              | MAT. | COL. | A    | B  | C    | D    | F   |
|-------------------|------|------|------|----|------|------|-----|
| <b>IDENTICLIP</b> | N    | B    | 30.2 | 50 | 11.6 | 40.2 | 1.6 |


## ACCESSORI ACCESSORIES

## GT



| MOD.      | MAT. | COL.  | A      | B    | C  | D  |
|-----------|------|-------|--------|------|----|----|
| <b>GT</b> | MTC  | TRASP | Ø 17.5 | 32.5 | 11 | 55 |

## GSM/25



| MOD.          | MAT. | COL. | A    | B    | C    | D    | E    |
|---------------|------|------|------|------|------|------|------|
| <b>GSM/25</b> | A    | B    | 62.5 | 12.2 | 34.5 | 25.5 | Ø 24 |

